

TruckProtect's NECK-IT! Anti-Siphons



NECK-IT! Anti-Siphons: *Setting New Industry Standards*

- Models for all Class 7/8 trucks in North America
- Durable with tough, thick side walls
- ½” hose can’t be pushed through any holes (unlike others)
- Tamper-evident design
- Transferable between vehicles
- Hands-free superfast filling without splashback or welling
- Tested to 50 gallons/minute for US high flow pumps (189 litres/minute)
- Easy to fit, no maintenance
- No riveting or drilling; no damage to tank neck



There are Anti-Siphons, and there are “*Anti-Siphons*”




**Can a ½”/12.7mm hose
easily fit through the holes
of your “*anti-siphon*”?**



There are Anti-Siphons, and there are “Anti-Siphons”

(L) Competitor with nine ½”/12.7 mm pipes

(R) TPNiIntWs



TPNiFLi Freightliner/Sterling (2.36"/60.0 mm filler neck) & Competitor



TPNiIntWs International/Western Star (3"/77.0mm filler neck; fits older model Volvo/Mack) & Competitor



TPNiKwi Kenworth (2.6"/66.15 mm filler neck) & Competitor



TPNiPbi Peterbilt (on left with installation kit) & Competitor



TPNiVoMa Volvo/Mack (since 2003) (2.54"/64.6 mm filler neck) & Competitor



NECK-IT! Anti-Siphons

Product Numbers and Sizes

Part No.	Make of Class 7/8 Truck	Body Width Inches/mm	Neck Length Inches/mm
TPNiFli	Freightliner/Sterling	2.36"/60.00	5.40"/137.00
TPNiIntWs	International/West'n Star and older Volvo/Mack	3.03"/77.00	6.25"/160.00
TPNiKwi	Kenworth	2.60"/66.15	6.25"/160.00
TPNiPbi	Peterbilt	2.52"/64.15	4.10"/104.30
TPNiVoMa	Volvo/Mack (post 2003)	2.54"/64.60	6.25"/160.00

